

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	23	miller-eric.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:07
S2	5	sprint-communications-company-lp. as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 14:15
S3	951	(digital adj rights) near3 (technique method application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 14:17
S4	4	(client user subscriber) with (send\$3 specify\$3 identify\$3) with (digital adj rights) near3 (technique method application) with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 14:21
S5	679	S3 and (client user subscriber) and (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 14:21
S6	157	S3 same (client user subscriber) same (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 14:21
S7	87	S6 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 22:10
S8	951	(digital adj rights) near3 (technique method application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:07
S9	157	S8 same (client user subscriber) same (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:08

## EAST Search History

S10	87	S9 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:10
S11	6	S10 and (license with (address port) with (((digital adj rights) license) near3 (server provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:09
S12	7	"data rights management".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 11:36
S14	1060	((data digital) adj rights) near3 (technique method application architecture logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 09:46
S15	180	S14 same (consumer client user subscriber) same (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:09
S16	6	S15 and (license with (address port) with (((data digital) adj rights) license) near3 (server provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:10
S17	99	S15 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:17
S18	2992	address with IP with port with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:18
S19	1060	S14 and S18((data digital) adj rights) near3 (technique method application architecture logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:18
S20	9	S14 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:18

## EAST Search History

S21	16	(plurality many several) near3 ((data digital) adj rights) near3 (technique method application architecture logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:28
S22	0	(plurality many several) near3 ((data digital) adj rights) near3 (technique method application architecture logic) with (prefer\$6 near3 order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:29
S23	0	((plurality many several) near3 ((data digital) adj rights) near3 (technique method application architecture logic)) with (prefer\$6 near3 order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 14:30
S26	54299	(respon\$4 reply\$3 answer) with (zero none)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:16
S27	42	(respon\$4 reply\$3 answer) with ((zero none) near3 value) with (list choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:21
S28	27	S27 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:34
S29	34	(respon\$4 reply\$3 answer) with ((zero none) near3 value) with (support\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:26
S30	18	S29 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:27
S31	451	(respon\$4 reply\$3 answer) with ((zero none) near3 value) with (select\$3 choos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:28
S32	406	S31 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:27

## EAST Search History

S33	12	("717"/\$.ccls. "713"/\$.ccls. "705"/\$.ccls. "726"/\$.ccls. "380"/\$.ccls) and ((respon\$4 reply\$3 answer) with ((zero none) near3 value) with (select\$3 choos\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:31
S34	11	(client consumer user subscriber) with (prefer\$6 near3 choice near3 order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 15:50
S35	16	(client consumer user subscriber) near3 (prefer\$6 choice) near3 (first top earliest) near3 order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:40
S36	2007	(message response reply) with (network near3 transport)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:01
S37	9	(message response reply) with (network near3 transport) with (exchang\$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:05
S38	587	"network transport protocol"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:07
S39	2	S38 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:06
S40	5	"network transport method"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 16:07
S41	3	negotiat\$3 with (((data digital) adj rights) near3 (technique method application architecture logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:08
S42	285	(client consumer subscriber user) with (send\$3 request\$3) with ((data digital) adj rights)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:33

## EAST Search History

S43	45	(server provider) with (respon\$4 reply\$3 answer\$3) with ((data digital) adj rights)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:22
S44	115	(client consumer subscriber user) with (select\$3 choos\$3) with ((data digital) adj rights)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:24
S45	3	S42 and S43 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 09:51

## EAST Search History

S46	50	(US-20040181490-\$ or US-20050265555-\$ or US-20060123246-\$ or US-20050086501-\$ or US-20030131353-\$ or US-20050108746-\$ or US-20050278259-\$ or US-20060259575-\$ or US-20060259781-\$ or US-20060259852-\$ or US-20060259982-\$ or US-20060047957-\$ or US-20060123484-\$ or US-20050278787-\$ or US-20020082939-\$ or US-20050027791-\$ or US-20060100965-\$ or US-20050044016-\$ or US-20050195978-\$ or US-20060036554-\$ or US-20060069798-\$ or US-20060235800-\$ or US-20020006204-\$ or US-20030014655-\$ or US-20030084306-\$ or US-20040158712-\$).did. or (US-20050071278-\$ or US-20050071280-\$ or US-20050138357-\$ or US-20050187879-\$ or US-20050243999-\$ or US-20050244008-\$ or US-20050271208-\$ or US-20060095382-\$ or US-20060230458-\$ or US-20030046407-\$ or US-20030079133-\$ or US-20040010717-\$ or US-20040117500-\$ or US-20050123136-\$ or US-20050177873-\$ or US-20060015944-\$ or US-20060015945-\$ or US-20020136370-\$ or US-20060083171-\$ or US-20040230489-\$).did. or (US-6898706-\$ or US-6948073-\$ or US-7080410-\$ or US-7089594-\$). did.	US-PGPUB; USPAT	OR	ON	2006/12/14 10:08
S47	17	S46 and ((client consumer subscriber user) with (offer\$3 send\$3 request\$3) with ((data digital) adj rights))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 10:12

## EAST Search History

S48	3	S46 and ((client consumer subscriber user) with (select\$3 choos\$3) with ((data digital) adj rights))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 11:12
S49	16	S46 and ((client consumer subscriber user) with (select\$3 choos\$3 determin\$3) with ((data digital) adj rights))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 12:04
S50	24	(US-20050021995-\$ or US-20050010531-\$ or US-20040237067-\$ or US-20040230806-\$ or US-20040205333-\$ or US-20040181459-\$ or US-20040176080-\$ or US-20040168077-\$ or US-20040054920-\$ or US-20040003139-\$ or US-20030217011-\$ or US-20030195855-\$ or US-20030189589-\$ or US-20030126086-\$ or US-20030115069-\$ or US-20030084306-\$ or US-20030078853-\$ or US-20030037253-\$ or US-20030028890-\$ or US-20030028488-\$ or US-20020157002-\$ or US-20020144116-\$ or US-20020138593-\$ or US-20020080969-\$).did.	US-PGPUB	OR	ON	2006/12/14 12:04
S51	8	S50 and ((client consumer subscriber user) with (select\$3 choos\$3 determin\$3) with ((data digital) adj rights))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:16
S52	2	"20040237067".pn. and (DRM ((data digital) adj rights))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 13:50
S53	2	"20050044016".pn. and (DRM ((data digital) adj rights))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:14

## EAST Search History

S54	2	"20040205333".pn. and (DRM ((data digital) adj rights))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:20
S55	53	((client consumer subscriber user) with (select\$3 choos\$3 determin\$3) with (support\$3 near3 (encrypt\$3 encipher\$3 cipher\$3 scrambl\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:17
S56	44	S55 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:18
S57	0	S56 and ((data digital) near3 rights)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:18
S58	4	("20050010531", "20040230806").pn. and (DRM ((data digital) adj rights))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:20
S61	751	(client consumer subscriber user) with (send\$3 forward\$3 request\$3) with ((support\$3 list) near3 (((data digital) adj rights) configuration algorithm protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:36
S62	513	S61 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:37
S63	274	(client consumer subscriber user) with (send\$3 forward\$3 request\$3) with ((support\$3 list) near3 (((data digital) adj rights) configuration algorithm protocol)) with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:48
S64	190	S63 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:55



## EAST Search History

S65	2	(client consumer subscriber user) with (send\$3 forward\$3 request\$3) with ((support\$3 list) near3 ((data digital) adj rights)) with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:54
S66	41	(client consumer subscriber user) with (send\$3 forward\$3 request\$3) with ((support\$3 list) near3 configuration) with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:25
S67	20	(client consumer subscriber user) with (send\$3 forward\$3) with ((support\$3 list) near3 configuration) with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:54
S68	37	(client consumer subscriber user) with (send\$3 forward\$3 transmit\$4) with ((support\$3 list) near3 configuration) with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:27
S69	0	(client consumer subscriber user) with (send\$3 forward\$3) with ((support\$3 list) near3 ((data digital) adj rights)) with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:54
S70	31	S68 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:27
S71	142	url with (IP near3 address) with port with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:59
S72	4	S71 and ((data digital) near3 rights)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:59
S73	16	(client consumer subscriber user) with (send\$3 forward\$3 transmit\$4) with ((support\$3 list) near3 algorithm) with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:31
S74	6	S73 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:32

## EAST Search History

S75	18	(client consumer subscriber user) with (send\$3 forward\$3 transmit\$4) with ((support\$3 list) near3 media near3 player) with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:39
S76	8	S75 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 11:54
S77	132	(client consumer subscriber user) with (send\$3 forward\$3 transmit\$4) with ((support\$3 list) near3 protocol) with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:39
S78	85	S77 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 20:30
S79	142	url with (IP near3 address) with port with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 11:54
S80	100	S79 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:57
S81	1261	"session description protocol"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:57
S82	28	S81 and ((digital data) adj rights)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:57
S83	8	S82 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:26
S84	129	(server provider) with (select\$3 choosing chosen) with ((first top earliest) near3 order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:37

## EAST Search History

S85	89	S84 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:38
S86	126	(server provider) with (select\$3) with ((first top earliest) near3 order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 22:09
S87	86	S86 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 15:42
S88	102	(server provider) with (select\$3) with ((highest first top earliest) near3 (prefer\$6 choice))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 22:10
S89	80	S88 and @ad<"20030723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 22:10